

FreeMatch Multisplitkombinationen

2AMW42U4RGC

Kombinationen von Inneneinheiten	Kühlleistung									
	A	B	C	D	Gesamtleistung (W)			Leistungsaufnahme (W)		
	W	W	W	W	NOM	MIN	MAX	NOM	MIN	MAX
15+25	1950	2150			4100	1000	5500	950	330	2300
15+35	1900	2200			4100	1000	5500	950	330	2300
25+25	2050	2050			4100	1000	5500	920	330	2300
25+35	2000	2100			4100	1000	5500	920	330	2300

Kombinationen von Inneneinheiten	Heizleistung									
	A	B	C	D	Gesamtleistung (W)			Leistungsaufnahme (W)		
	W	W	W	W	NOM	MIN	MAX	NOM	MIN	MAX
15+25	2150	2350			4500	1000	6000	990	200	2300
15+35	2100	2400			4500	1000	6000	970	200	2300
25+25	2250	2250			4500	1000	6000	950	200	2300
25+35	2150	2350			4500	1000	6000	950	200	2300

2AMW52U4RXC

Kombinationen von Inneneinheiten	Kühlleistung									
	A	B	C	D	Gesamtleistung (W)			Leistungsaufnahme (W)		
	W	W	W	W	NOM	MIN	MAX	NOM	MIN	MAX
15+25	1500	2500			4000	1200	5000	1000	390	2000
15+35	1500	3500			5000	1200	6600	1260	390	2500
25+25	2500	2500			5000	1200	6600	1245	390	2500
25+35	2300	2700			5000	1200	6600	1245	390	2500
35+35	2500	2500			5000	1200	6600	1245	390	2500

Kombinationen von Inneneinheiten	Heizleistung									
	A	B	C	D	Gesamtleistung (W)			Leistungsaufnahme (W)		
	W	W	W	W	NOM	MIN	MAX	NOM	MIN	MAX
15+25	1800	2800			4600	1200	6500	1200	290	2000
15+35	1800	3200			5000	1200	7000	1300	290	2300
25+25	2750	2750			5500	1200	7000	1300	290	2500
25+35	2500	3000			5500	1200	7000	1290	290	2500
35+35	2750	2750			5500	1200	7000	1290	290	2500

FreeMatch Multisplitkombinationen

3AMW72U4RJC

Kombinationen von Inneneinheiten	Kühlleistung									
	A	B	C	D	Gesamtleistung (W)			Leistungsaufnahme (W)		
	W	W	W	W	N O M	M I N	M A X	N O M	M I N	M A X
15+50	1500	5000			6500	2000	9000	1660	500	3500
25+25	2500	2500			5000	2000	7000	1400	460	2200
25+35	2500	3500			6000	2000	8000	1570	500	3000
25+50	2500	4500			7000	2000	10000	1750	500	3900
35+35	3500	3500			7000	2000	10000	1750	500	3900
35+50	2800	4200			7000	2000	10000	1730	500	3900
50+50	3500	3500			7000	2000	10000	1710	500	3900
15+15+25	1500	1500	2500		5500	2000	8000	1450	580	2950
15+15+35	1500	1500	3500		6500	2000	9000	1660	500	3500
15+15+50	1300	1300	4400		7000	2000	10000	1750	500	3900
15+25+25	1500	2500	2500		6500	2000	9000	1660	500	3500
15+25+35	1300	2500	3200		7000	2000	10000	1750	500	3900
15+35+35	1000	3000	3000		7000	2000	10000	1750	500	3900
15+35+50	1000	2500	3500		7000	2000	10000	1710	500	3900
25+25+25	2333	2333	2334		7000	2000	10000	1750	500	3900
25+25+35	2100	2100	2800		7000	2000	10000	1730	500	3900
25+25+50	1800	1800	3400		7000	2000	10000	1710	500	3900
25+35+35	2000	2500	2500		7000	2000	10000	1730	500	3900
35+35+35	2333	2333	2334		7000	2000	10000	1710	500	3900

Kombinationen von Inneneinheiten	Heizleistung									
	A	B	C	D	Gesamtleistung (W)			Leistungsaufnahme (W)		
	W	W	W	W	N O M	M I N	M A X	N O M	M I N	M A X
15+50	2000	5500			7500	2000	9500	1900	500	3700
25+25	3000	3000			6000	2000	7500	1590	435	2500
25+35	3300	3700			7000	2000	9000	1800	500	3500
25+50	2800	5200			8000	2000	10000	2000	500	3900
35+35	4000	4000			8000	2000	10000	2000	500	3900
35+50	3200	4800			8000	2000	10000	1980	500	3900
50+50	4000	4000			8000	2000	10000	1960	500	3900
15+15+25	1700	1700	3100		6500	2000	8000	1700	510	2950
15+15+35	1900	1900	3700		7500	2000	9500	1900	500	3700
15+15+50	2000	2000	4000		8000	2000	10000	2000	500	3900
15+25+25	1500	3000	3000		7500	2000	9500	1900	500	3700
15+25+35	2000	2500	3500		8000	2000	10000	2000	500	3900
15+35+35	1600	3200	3200		8000	2000	10000	2000	500	3900
15+35+50	1400	3000	3600		8000	2000	10000	1960	500	3900
25+25+25	2666	2667	2667		8000	2000	10000	2000	500	3900
25+25+35	2500	2500	3000		8000	2000	10000	1980	500	3900
25+25+50	1900	1900	4200		8000	2000	10000	1960	500	3900
25+35+35	2200	2900	2900		8000	2000	10000	1980	500	3900
35+35+35	2666	2667	2667		8000	2000	10000	1960	500	3900

4AMW81U4RJC

Kombinationen von Inneneinheiten	Kühlleistung									
	A	B	C	D	Gesamtleistung (W)			Leistungsaufnahme (W)		
	W	W	W	W	N O M	M I N	M A X	N O M	M I N	M A X
25+25	2600	2600			5200	2200	7000	1680	500	3000
25+35	2600	3500			6100	2200	7200	1850	500	3100
25+50	2600	4800			7400	2400	9000	2100	500	3500
35+35	3500	3500			7000	2200	8000	2200	500	3100
35+50	3200	4800			8000	2200	9500	2400	500	3500
50+50	4000	4000			8000	2300	10500	2300	500	3800
25+25+25	2600	2600	2600		8000	2400	9500	2145	540	3700
25+25+35	2540	2540	2920		8000	2400	10000	2145	540	3800
25+25+50	2130	2130	3740		8000	2400	10500	2100	540	3950
25+35+35	2370	2815	2815		8000	2400	10000	2145	540	3950
25+35+50	2010	2480	3510		8000	2400	10500	2100	540	3800
35+35+35	2667	2667	2667		8000	2400	10500	2145	540	3800
25+25+25+25	2000	2000	2000	2000	8000	2600	10500	2130	580	3950
25+25+25+35	1940	1940	1940	2180	8000	2600	10500	2130	580	3950

Kombinationen von Inneneinheiten	Heizleistung									
	A	B	C	D	Gesamtleistung (W)			Leistungsaufnahme (W)		
	W	W	W	W	N O M	M I N	M A X	N O M	M I N	M A X
25+25	3000	3000			6000	1800	7200	1680	400	3200
25+35	3000	3700			6700	1800	7500	1850	400	3300
25+50	3000	5500			8500	2000	9500	2100	400	3500
35+35	3700	3700			7400	1800	8700	2050	400	3300
35+50	3620	5380			9000	2000	9700	2110	400	3600
50+50	4500	4500			9000	2000	11000	2200	420	3950
25+25+25	3000	3000	3000		9000	2200	10000	2230	420	3700
25+25+35	2784	2784	3433		9000	2200	10000	2230	420	3700
25+25+50	2350	2350	4300		9000	2200	10500	2200	420	3600
25+35+35	2600	3200	3200		9000	2200	10000	2220	420	3700
25+35+50	2210	2730	4060		9000	2200	10500	2200	420	3600
35+35+35	3000	3000	3000		9000	2200	10000	2210	420	3700
25+25+25+25	2250	2250	2250	2250	9000	2200	11000	2130	460	3820
25+25+25+35	2125	2125	2125	2625	9000	2200	11000	2120	460	3810

FreeMatch Multisplitkombinationen

5AMW105U4RQC

Kombinationen von Inneneinheiten	Kühlleistung											
	A	B	C	D	E	Gesamtleistung (W)			Leistungsaufnahme (W)			Stromaufnahme
	W	W	W	W	W	N O M	M I N	M A X	N O M	M I N	M A X	A
25+70	2500	7000				9500	2500	12000	2650	700	4500	11,9
35+50	3500	5000				8500	2500	12000	2650	700	4500	11,9
35+70	3200	6800				10000	2500	12000	2650	700	4500	11,9
50+50	5000	5000				10000	2500	12000	2650	700	4500	11,9
50+70	4000	6000				10000	2500	12000	2650	700	4500	11,9
70+70	5000	5000				10000	2500	12000	2650	700	4500	11,9
25+25+35	2500	2500	3500			8500	2500	12000	2650	700	4750	11,9
25+25+50	2500	2500	5000			10000	2500	12000	2650	700	4750	11,9
25+25+70	2300	2300	5400			10000	2500	12000	2650	700	4750	11,9
35+35+35	3333	3333	3334			10000	2500	12000	2650	700	4750	11,9
35+35+50	3000	3000	4000			10000	2500	12000	2650	700	4750	11,9
35+35+70	2500	2500	5000			10000	2500	12000	2650	700	4750	11,9
35+50+50	3000	3500	3500			10000	2500	12000	2650	700	4750	11,9
35+50+70	2500	3500	5000			11000	2500	12000	2650	700	4750	11,9
50+50+50	3333	3333	3334			10000	2500	12000	2650	700	4750	11,9
25+25+25+25	2500	2500	2500	2500		10000	2500	12000	2680	700	5000	12,0
25+25+25+35	2200	2200	2200	3400		10000	2500	12000	2650	700	5000	11,9
25+25+25+50	2000	2000	2000	4000		10000	2500	12000	2650	700	5000	11,9
25+25+25+70	1900	1900	1900	4300		10000	2500	12000	2650	700	5000	11,9
25+25+35+35	2000	2000	3000	3000		10000	2500	12000	2650	700	5000	11,9
25+25+35+50	2000	2000	2500	3500		10000	2500	12000	2650	700	5000	11,9
25+25+35+70	2000	2000	2300	3700		10000	2500	12000	2650	700	5000	11,9
25+25+50+50	2000	2000	3000	3000		10000	2500	12000	2650	700	5000	11,9
25+35+35+35	1900	2700	2700	2700		10000	2500	12000	2650	700	5000	11,9
25+35+35+50	1900	2500	2500	3100		10000	2500	12000	2650	700	5000	11,9
35+35+35+35	2500	2500	2500	2500		10000	2500	12000	2600	700	5000	11,6
35+35+35+50	2100	2100	2100	3700		10000	2500	12000	2600	700	5000	11,6
25+25+25+25+25	2000	2000	2000	2000	2000	10000	2500	12000	2550	700	5000	11,4
25+25+25+25+35	1800	1800	1800	1800	2800	10000	2500	12000	2550	700	5000	11,4
25+25+25+25+50	1700	1700	1700	1700	3200	10000	2500	12000	2550	700	5000	11,4
25+25+25+35+35	1700	1700	1700	2450	2450	10000	2500	12000	2550	700	5000	11,4
25+25+35+35+35	1550	1550	2300	2300	2300	10000	2500	12000	2550	700	5000	11,4

5AMW105U4RQC

Kombinationen von Inneneinheiten	Heizleistung											Stromaufnahme
	A	B	C	D	E	Gesamtleistung (W)			Leistungsaufnahme (W)			
	W	W	W	W	W	N O M	M I N	M A X	N O M	M I N	M A X	
25+70	3000	7000				10000	3000	14000	2850	700	5000	12,6
35+50	4000	5500				9500	3000	14000	2850	700	5000	12,6
35+70	4000	7000				11000	3000	14000	2850	700	5000	12,6
50+50	5500	5500				11000	3000	14000	2850	700	5000	12,6
50+70	5000	6000				11000	3000	14000	2850	700	5000	12,6
70+70	5500	5500				11000	3000	14000	2850	700	5000	12,6
25+25+35	3000	3000	4000			10000	3000	14000	2850	700	5000	12,6
25+25+50	3000	3000	5000			11000	3000	14000	2850	700	5000	12,6
25+25+70	2500	2500	6000			11000	3000	14000	2850	700	5000	12,6
35+35+35	3666	3667	3667			11000	3000	14000	2850	700	5000	12,6
35+35+50	3000	3000	5000			11000	3000	14000	2850	700	5000	12,6
35+35+70	2800	2800	5400			11000	3000	14000	2850	700	5000	12,6
35+50+50	3000	4000	4000			11000	3000	14000	2850	700	5000	12,6
35+50+70	2500	3500	5000			11000	3000	14000	2850	700	5000	12,6
50+50+50	3666	3667	3667			11000	3000	14000	2850	700	5000	12,6
25+25+25+25	2750	2750	2750	2750		11000	3000	14000	2820	700	5000	12,5
25+25+25+35	2500	2500	2500	3500		11000	3000	14000	2800	700	5000	12,4
25+25+25+50	2300	2300	2300	4100		11000	3000	14000	2800	700	5000	12,4
25+25+25+70	2100	2100	2100	4700		11000	3000	14000	2800	700	5000	12,4
25+25+35+35	2500	2500	3000	3000		11000	3000	14000	2800	700	5000	12,4
25+25+35+50	2300	2300	3000	3400		11000	3000	14000	2800	700	5000	12,4
25+25+35+70	2100	2100	2800	4000		11000	3000	14000	2800	700	5000	12,4
25+25+50+50	2100	2100	3400	3400		11000	3000	14000	2800	700	5000	12,4
25+35+35+35	2000	3000	3000	3000		11000	3000	14000	2800	700	5000	12,4
25+35+35+50	1800	2800	2800	3600		11000	3000	14000	2800	700	5000	12,4
35+35+35+35	2750	2750	2750	2750		11000	3000	14000	2800	700	5000	12,4
35+35+35+50	2500	2500	2500	3500		11000	3000	14000	2800	700	5000	12,4
25+25+25+25+25	2200	2200	2200	2200	2200	11000	3000	14000	2750	700	5000	12,2
25+25+25+25+35	2000	2000	2000	2000	3000	11000	3000	14000	2750	700	5000	12,2
25+25+25+25+50	1900	1900	1900	1900	3400	11000	3000	14000	2750	700	5000	12,2
25+25+25+35+35	1800	1800	1800	2800	2800	11000	3000	14000	2730	700	5000	12,1
25+25+35+35+35	1600	1600	2600	2600	2600	11000	3000	14000	2730	700	5000	12,1